

Matching Grant Program

Runs from 03 February 09 until 20 May 2009 in Europe, Middle East and Africa



Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Data.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Buy 1 / Get 1 Free					
THIN CLIENTS Big Features, Small Package!					
Sun Ray Thin Client Product					
NTC-10Z-00 **	Sun Ray 2 client, 1600x1200 max resolution, 2 USB ports, 1 serial port, RoHS-6 compliant. Type 7 USB country kit not included.	2	50%	220 €	110 €
NTC-15Z-00 **	Sun Ray 2FS client, 1920 x 1200 max resolution, two DVI ports for native dual-head configurations in Xinerama mode, one 100Base-FX fiber optic port, 3 USB 2.0 ports, 1 serial port, RoHS-6 compliant. Type 7 country kit not included.	2	50%	440 €	220 €
NTC-20Z-00	Sun Ray 270 client, 4 USB 1.1 ports, 2 serial ports, 17 inch flat screen monitor, 1280x1024 max resolution, RoHS-6 compliant, Type 7 country kit not included.	2	50%	620 €	310 €
** Sun Ray 2 and 2FS can only be bought in MG, when bought with a Sun Monitor on the MG09 Product List					
ENTRY LEVEL SERVERS Run virtually any operating system, including Solaris OS, Linux, Windows or VMware					
Sun Fire X4100 M2					
A86-FS2H32GBAM	Sun Fire X4100 M2 x64 Server: 2x AMD Opteron Model 2356, (2.3GHz/1MB) quad-core processor, 8x4GB PC2-5300 DDR2-667 memory, 2x 146GB HDD, NO DVD, 2x High Efficiency PSU, Toolless Slide Rail Kit, Service Processor, 4x 10/100/1000 Ethernet ports, 3x USB 2.0 ports, 2x 8-lane PCI-E slots, no power cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	5,100 €	2,550 €
Sun Fire X4140					
B12-FU2-BC-8C-RD6	Sun Fire X4140 x64 Server: 2x AMD Opteron Model 2347 HE (1.9GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 2x 8-lane PCIe slots, no Power Cord, order Geo-specific X-option. Solaris 10 and Java ES Pre-Install. Standard Configuration. RoHS-5.	2	50%	4,100 €	2,050 €
B12-AT2-DC-8C-RD6	Sun Fire X4140 x64 Server: 2x AMD Opteron Model 2380 (2.5GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD-RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 2x 8-lane PCIe slots, no Power Cord, order Geo-specific X-option. Solaris 10 Pre-Install. Standard Configuration. RoHS-5.	2	50%	4,100 €	2,050 €
B12-FS2-DC-8C-RD6	Sun Fire X4140 x64 Server: 2x AMD Opteron Model 2356 (2.3GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 2x 8-lane PCIe slots, no Power Cord, order Geo-specific X-option. Solaris 10 and Java ES Pre-Install. Standard Configuration. RoHS-5.	2	50%	4,750 €	2,375 €
B12-AW2-DC-8C-RD6	Sun Fire X4140 x64 Server: 2x AMD Opteron Model 2384 (2.7GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD-RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 2x 8-lane PCIe slots, no Power Cord, order Geo-specific X-option. Solaris 10 Pre-Install. Standard Configuration. RoHS-5.	2	50%	4,500 €	2,250 €
Sun Fire X4150					
B13-UQ2-CC-8GB-KD6	Sun Fire X4150 x64 Rack-Mount Server: Two Quad-Core Intel Xeon E5450 processor (2x6MB L2, 3.0 GHz, 1333 MHz FSB, 80W), 8GB memory (4x 2GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), 4x 146GB 10K RPM 2.5 SAS drives, SAS RAID HBA, DVD-RW, 2x PSU, ILOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 3x 8-lane PCI-Express slots, no power cord, order Geo-specific x-option. Solaris 10 & Java ES pre-installed. Standard Configuration. RoHS-5.	2	50%	5,100 €	2,550 €
B13-UE2-EC-8GB-KD6	Sun Fire X4150 x64 Rack-Mount Server: Two Quad-Core Intel(R) Xeon(R) X5460 processor (2x6MB L2, 3.16 GHz, 1333 MHz FSB, 120W), 8GB of memory (4x2GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), 4x 146GB 10K RPM 2.5" SAS drives, internal SAS RAID PCI-Express HBA, DVD+/-RW drive, 2x PSU, ILOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 3x 8-lane PCI-Express slots, no power cord, order Geo-specific X-option. Solaris 10 and Java ES preinstall. Standard Configuration. RoHS-5.	2	50%	5,400 €	2,700 €
Sun Fire X4240					
B14-FU2-BC-8C-RD6	Sun Fire X4240 x64 Server: 2x AMD Opteron Model 2347 HE (1.9GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	4,500 €	2,250 €
B14-AT2-DC-8C-RD6	Sun Fire X4240 x64 Server: 2x AMD Opteron Model 2380 (2.5GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD-RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Solaris 10 Pre-Install. Standard Configuration. RoHS-5.	2	50%	4,500 €	2,250 €
B14-FS2-DC-8C-RD6	Sun Fire X4240 x64 Server: 2x AMD Opteron Model 2356 (2.3GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	5,200 €	2,600 €
B14-FU1-BC-8C-KN6	Sun Fire X4240 x64 Server: 1x AMD Opteron Model 2347 HE (1.9GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, 16x 146GB HDD, HBA Card, DVD1RW, 2x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slots, no Power Cord, order Geo-specific X-option. Solaris 10 and Java ES Pre-Install. Standard Configuration. RoHS-5.	2	50%	6,900 €	3,450 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MQ Request Date.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Sun Fire X4440					
B16-HS2-DC-8C-JL8	Sun Fire X4440 x64 Server: 2x AMD Opteron Model 8356 (2.3GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, No HDD, No DVD RW, 1x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	6,000 €	3,000 €
B16-HS4-DC-16C-RD6	Sun Fire X4440 x64 Server: 4x AMD Opteron Model 8356 (2.3GHz/512KB) quad core processor, 8x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Solaris 10 & Java ES Pre-Install. Standard Configuration. RoHS-5.	2	50%	11,100 €	5,550 €
B16-HU2-BC-8C-JL8	Sun Fire X4440 x64 Server: 2x AMD Opteron Model 8347 HE (1.9GHz/512KB) quad core processor, 4x 2GB DDR2-667 single rank memory, No HDD, No DVD RW, 1x PSU, HT Bridge Card, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	4,400 €	2,200 €
B16-HU4-BC-16C-RD6	Sun Fire X4440 x64 Server: 4x AMD Opteron Model 8347 HE (1.9GHz/512KB) quad core processor, 8x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD RW, 2x PSU, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Solaris 10 & Java ES Pre-Install. Standard Configuration. RoHS-5.	2	50%	8,000 €	4,000 €
B16-ZT4-DC-16C-RD6	Sun Fire X4440 x64 Server: 4x Enhanced AMD Opteron Model 8380 (2.5GHz/512KB) quad core processor, 8x 2GB DDR2-667 single rank memory, 4x146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Standard Configuration. RoHS-5.	2	50%	9,700 €	4,850 €
B16-ZW4-DC-16C-RD6	Sun Fire X4440 x64 Server: 4x AMD Enhanced Opteron Model 8384 (2.7GHz/512KB) quad core processor, 8x 2GB DDR2-667 single rank memory, 4x 146GB HDD, HBA RAID Card, DVD1RW, 2x PSU, Service processor, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 1x 16-lane PCIe slot, 4x 8-lane PCIe slots, 1x 4-lane PCIe slot, no Power Cord, order Geo-specific X-option. Solaris 10 Pre-Install. Standard Configuration. RoHS-5.	2	50%	12,000 €	6,000 €
Sun Fire X4450					
B15-VJ2-CC-4GB-JL6	Sun Fire X4450 x64 Rack-Mount Server: Two Quad-Core Intel Xeon E7340 processor (2x4MB L2, 2.40 GHz, 1066 MHz FSB, 80W), 4GB of memory (2x2GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMM), no HDD, DVD+/-RW, 1x 1100W PSU, ILOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-Express slots, no media & doc kit, no power cord, order Geo-specific x-option. Standard Configuration. RoHS-5.	2	50%	7,800 €	3,900 €
B15-VR2-CC-4GB-JL6	Sun Fire X4450 x64 Rack-Mount Server: 2x Quad-Core Intel(R) Xeon(R) E7320 processor (2x2MB L2, 2.13 GHz, 1066 MHz FSB, 80W), 4GB memory (4x1GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), no HDD, DVD+/-RW drive, 1x 1050W PSU, Embedded LOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-E slots, no power cord, order Geo-specific x-option. Standard accessory kit, documentation, CD's. Standard configuration. RoHS-5.	2	50%	6,100 €	3,050 €
B15-VW4-AC-8GB-JL6	Sun Fire X4450 x64 Rack-Mount Server: 4x Quad-Core Intel(R) Xeon(R) L7345 processor (2x4MB L2, 1.86 GHz, 1066 MHz FSB, 50W), 8GB memory (8x1GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), no HDD, DVD+/-RW drive, 2x 1050W PSU, Embedded LOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-E slots, no power cord, order Geo-specific x-option. Standard accessory kit, documentation, CD's. Standard configuration. RoHS-5.	2	50%	14,200 €	7,100 €
B15-VZ4-CB-8GB-JL6	Sun Fire X4450 x64 Rack-Mount Server: 4x Dual-Core Intel(R) Xeon(R) E7220 processor (2x4MB L2, 2.93 GHz, 1066 MHz FSB, 80W), 8GB memory (8x1GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), no HDD, DVD+/-RW drive, 2x 1050W PSU, Embedded LOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-E slots, no power cord, order Geo-specific x-option. standard accessory kit, documentation, CD's. Standard configuration. RoHS-5.	2	50%	9,500 €	4,750 €
B15-WG4-FD-24G-KD6	Sun Fire X4450 x64 Rack-Mount Server: Four Intel(R) Xeon(R) processor X7460 (6-Core, 16MB L3, 2.66 GHz, 1066 MHz FSB, 130W), 24GB of memory (12x2GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMMs), 4x 146GB 10K RPM 2.5" SAS drives, internal SAS RAID PCI-Express HBA, DVD+/-RW drive, 2x 1100W PSU, ILOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-Express slots, no power cord, order Geo-specific x-option. Standard Configuration. RoHS-5.	2	50%	18,700 €	9,350 €
B15-WZ2-FC-4GB-JL6	Sun Fire X4450 x64 Rack-Mount Server: Two Quad-Core Intel Xeon X7350 processor (2x4MB L2, 2.93 GHz, 1066 MHz FSB, 130W), 4GB of memory (2x2GB PC2-5300 667 MHz ECC fully buffered DDR2 DIMM), no HDD, DVD+/-RW, 1x 1100W PSU, ILOM, 4x 10/100/1000 Ethernet ports, 5x USB 2.0 ports, 6x PCI-Express slots, no media & doc kit, no power cord, order Geo-specific x-option. Standard Configuration. RoHS-5.	2	50%	8,400 €	4,200 €
Sun Fire X4540					
B24-FS22-32F-GMH	This PN is for x4540 using single rank Memory.Sun Fire X4540 server, 2x AMD Opteron Model quad-core 2356, 2.3GHz Processor,16x2GB Mem, 48 SATA 3.5 250GB, 7200RPM HDD, 2x PSU, Service Processor, 4x 10/100/1000 Ethernet ports, 4x USB 2.0 ports, 3x PCI-E slots, VGA port, 1xflash boot disk slot, no power cord, order Geo-specific x-option. Solaris 10 OS preinstalled, includes Slide Rail Kit and Cable Management Arm, RoHS-5.	2	50%	16,200 €	8,100 €
B24-FS22-32F-HMH	This PN is for x4540 using single rank Memory. Sun Fire X4540 server, 2x AMD Opteron Model quad-core 2356, 2.3GHz Processor,16x2GB Mem, 48 SATA 3.5 500GB, 7200RPM HDD, 2x PSU, Service Processor, 4x 10/100/1000 Ethernet ports, 4x USB 2.0 ports, 3x PCI-E slots, VGA port, 1xflash boot disk slot, no power cord, order Geo-specific x-option. Solaris 10 OS preinstalled, includes Slide Rail Kit and Cable Management Arm, RoHS-5.	2	50%	25,700 €	12,850 €
B24-FS22-64G-HMH	Sun Fire X4540 server, 2x AMD Opteron Model quad-core 2356, 2.3GHz Processor,16x4GB Mem, 48 SATA 3.5 500GB, 7200RPM HDD, 2x PSU, Service Processor, 4x 10/100/1000 Ethernet ports, 4x USB 2.0 ports, 3x PCI-E slots, VGA port, 1xflash boot disk slot, no power cord, order Geo-specific x-option. Solaris 10 OS preinstalled, includes Slide Rail Kit and Cable Management Arm, RoHS-5.	2	50%	30,900 €	15,450 €
B24-FS22-64G-SMH	Sun Fire X4540 server, 2x AMD Opteron Model quad-core 2356, 2.3GHz Processor,16x4GB Mem, 48 SATA 3.5 1000GB, 7200RPM HDD, 2x PSU, Service Processor, 4x 10/100/1000 Ethernet ports, 4x USB 2.0 ports, 3x PCI-E slots, VGA port, 1xflash boot disk slot, no power cord, order Geo-specific x-option. Solaris 10 OS preinstalled, includes Slide Rail Kit and Cable Management Arm, RoHS-5.	2	50%	50,700 €	25,350 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Date.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Sun Fire X4600 M2					
A67-RUZ2-8H-08CLA1	Sun Fire X4600 M2 x64 server: 2x AMD Opteron Model 8347HE processor 1.9GHz-ACP55W-quad-core-8DIMM), 4x2GB DDR2-667 single rank memory, 1x146 GB SAS drive, DVD-ROM, 4x950W PSU, Service Processor, 4x10/100/1000 BaseT Ethernet ports, 4xUSB 2.0 ports, 2xPCI-X slots, 6x PCI-E slots (4x8-lane, 2x4-lane), and slide rail kit. No power cord, must order Geo-specific power cord option. RoHS-5. Standard Configuration.	2	50%	6,200 €	3,100 €
A67-RSZ4-8H-16CLB1	Sun Fire X4600 M2 x64 server: 4x AMD Opteron Model 8356 processor 2.3GHz-ACP75W-quad-core-8DIMM), 8x2GB DDR2-667 single rank memory, 2x146 GB SAS drive, DVD-ROM, 4x950W/higher PSU, Service Processor, 4x10/100/1000 BaseT Ethernet ports, 4xUSB 2.0 ports, 2xPCI-X slots, 6x PCI-E slots (4x8-lane, 2x4-lane), and slide rail kit. No power cord, must order Geo-specific power cord option. RoHS-5. Standard Configuration.	2	50%	12,800 €	6,400 €
A67-RSZ8-8H-064LB1	Sun Fire X4600 M2 x64 server: 8x AMD Opteron QUAD CORE Model 8356 processor (2.3GHz-quad-core-95W) on 8-DIMM board with Dual Dynamic Power Management" (DDPM"), 16x4GB DDR2-667 memory, 2x146 GB SAS drive, DVD-ROM, 4x950WPSU, Service Processor, 4x10/100/1000 BaseT Ethernet ports, 4xUSB 2.0 ports, 2xPCI-X slots, 6x PCI-E slots (4x8-lane, 2x4-lane), and slide rail kit. No power cord, must order Geo-specific power cord option. RoHS-5. Standard Configuration.	2	50%	22,000 €	11,000 €
A67-ZWZ4-8H-16CLB1	Sun Fire X4600 M2 x64 server: 4xAMD Opteron Model 8384 processor (2.7GHz-ACP75W-quad-core-8DIMM), 8x2GB DDR2-667 single rank memory, 2x146 GB SAS drive, DVD-ROM, 4x1133W/higher PSU, Service Processor, 4x10/100/1000 BaseT Ethernet ports, 4xUSB 2.0 ports, 2xPCI-X slots, 6x PCI-E slots(4x8-lane, 2x4-lane), and sliderail kit. No power cord, must order Geo-specific power cord option.RoHS-5. Standard Configuration.	2	50%	16,200 €	8,100 €
A67-ZWZ8-8H-064LB1	Sun Fire X4600 M2 x64 server: 8xAMD Opteron Model 8384 processor (2.7GHz-ACP75W-quad-core-8DIMM), 16x4GB DDR2-667 memory, 2x146 GB SAS drive, DVD-ROM, 4x1133W/ higher PSU, Service Processor, 4x10/100/1000 BaseT Ethernet ports, 4xUSB 2.0 ports, 2xPCI-X slots, 6x PCI-E slots(4x8-lane, 2x4-lane), and sliderail kit. No power cord, must order Geo-specific power cord option.RoHS-5. Standard Configuration.	2	50%	27,900 €	13,950 €
SUN SPARC ENTERPRISE SERVERS Record-breaking performance, unequaled energy efficiency !!					
Sun Sparc Enterprise T5120 Server					
SECPAAF2Z	Sun SPARC Enterprise T5120 Server, 4 Core 1.2GHz UltraSPARC T2 processor, 128MB Service Processor, 4GB FBDIMM memory (4 * 1GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 720W power supplies, Solaris 10 pre-installed, RoHS-6 compliant.(Standard Configuration)	2	50%	10,800 €	5,400 €
SECPCEF2Z	Sun SPARC Enterprise T5120 Server, 8 Core 1.2GHz UltraSPARC T2 processor,128MB Service Processor, 16GB FBDIMM memory (8 * 2GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 720W power supplies, Solaris 10 pre-installed, RoHS-6 compliant.(Standard Configuration)	2	50%	20,600 €	10,300 €
SECPCHF2Z	Sun SPARC Enterprise T5120 Server, 8 Core 1.2GHz UltraSPARC T2 processor, 128MB Service Processor, 32GB FBDIMM memory (16 * 2GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 720W power supplies, Solaris 10 pre-installed, RoHS-6 compliant. (Standard Configuration)	2	50%	21,500 €	10,750 €
Sun Sparc Enterprise T5140 Server					
SETPAAE2Z	Sun SPARC Enterprise T5140 Server, 2 4 Core 1.2GHz UltraSPARC T2 Plus processors, 8GB FBDIMM memory (8 1GB), 4 disk capacity, 2 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 760W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint (Standard Configuration)	2	50%	17,800 €	8,900 €
SETPBGE2Z	Sun SPARC Enterprise T5140 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors, 16GB FBDIMM memory (8 * 2GB), 4 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 760W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint. (Standard Configuration)	2	50%	19,500 €	9,750 €
SETPCJE3Z	Sun SPARC Enterprise T5140 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 32GB FBDIMM memory (16 * 2GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 760W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint. (Standard Configuration)	2	50%	29,200 €	14,600 €
Sun Sparc Enterprise T5220 Server					
SEDPAAF2Z	Sun SPARC Enterprise T5220 Server, 4 Core 1.2GHz UltraSPARC T2 processor,128MB Service Processor, 4GB FBDIMM memory (4 * 1GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slots, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 750W power supplies, Solaris 10 pre-installed, RoHS-6 compliant. (Standard Configuration)	2	50%	12,500 €	6,250 €
SEDPCHF2Z	Sun SPARC Enterprise T5220 Server, 8 Core 1.2GHz UltraSPARC T2 processor,128MB Service Processor, 32GB FBDIMM memory (16 * 2GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slots, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 750W power supplies, Solaris 10 pre-installed, RoHS-6 compliant. (Standard Configuration)	2	50%	23,600 €	11,800 €
SEDPFJF2Z	Sun SPARC Enterprise T5220 Server, 8 Core 1.4GHz UltraSPARC T2 processor,128MB Service Processor, 64GB FBDIMM memory (16 * 4GB), 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slots, 2 PCI-E low profile or XAUI (10Gb ethernet) slots, 2 (N+1) 750W power supplies, Solaris 10 pre-installed, RoHS-6 compliant. (Standard Configuration)	2	50%	38,900 €	19,450 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Data.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Sun Sparc Enterprise T5240 Server					
SEUPBAE2Z	Sun SPARC Enterprise T5240 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors, 8GB FBDIMM memory (8 * 1GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10Gb ethernet) slots, 2 (N+1) 1100W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint. (Standard Configuration)	2	50%	20,300 €	10,150 €
SEUPCJE2Z	Sun SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 32GB FBDIMM memory (16 * 2GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10Gb ethernet) slots, 2 (N+1) 1100W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint. (Standard Configuration)	2	50%	30,900 €	15,450 €
SEUPCPE4Z	Sun SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 16 disk capacity, 2 * 146GB 10K RPM SAS disks, 1DVD+/-RW, 4-10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10Gb ethernet) slots, 2 (N+1) 1100W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint. This config. requires high-line (220V) power input. Standard Config.	2	50%	38,500 €	19,250 €
SEUPDPE2Z	Sun SPARC Enterprise T5240 Server, 2 * 8 Core 1.4GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4-10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10Gb ethernet) slots, 2 (N+1) 1100W power supplies, Solaris 10 software pre-installed, RoHS-6 complaint.	2	50%	47,800 €	23,900 €
Sun Sparc Enterprise T5440 Server					
SEVPCJF1Z	Sun SPARC Enterprise T5440 Server: 2 x 1.2 GHz V.F. 8 Core CPU, 4U Chassis, 16 x 2 GB FBDIMMS, 2 x 146 GB SAS 2.5 HDD, 4 x 1120 Watt PSU, Slim DVD RW, 2 memory expansion boards	2	50%	43,900 €	21,950 €
SEVPGLF1Z	Sun SPARC Enterprise T5440 Server: 4 x 1.2 Ghz, 8 Core, 4U Chassis, 32 x 2 GB FBDIMMS, 2 x 146 GB SAS 2.5, 10K HDD, 4 x 1120 Watt PSU, Slim DVD RW, 4 memory expansion boards	2	50%	77,900 €	38,950 €
SEVPHSF1Z	Sun SPARC Enterprise T5440 Server: 4 x 1.4 Ghz, 8 Core, 4U Chassis, 32 x 4GB FBDIMMS, 2 x 146 GB SAS 2.5, 10K HDD, 4 x 1120 Watt PSU, Slim DVD RW, 4 memory expansion boards	2	50%	129,600 €	64,800 €
Sun Sparc Enterprise M3000 Server					
SEWPAAA1Z	Sun SPARC Enterprise M3000 server. Includes 1, (quad-core) 2.52GHz SPARC64 VII Processor (1 CPU board with 1 CPU & 5MB on-chip L2 10-way cache), and 4GB system memory (1 memory module with 4*1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*Gb ethernet ports, 1 I/O tray with 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy), RoHS-5.	2	50%	13,100 €	6,550 €
SEWPABA1Z	Sun SPARC Enterprise M3000 server. Includes 1, quad-core, 2.52GHz SPARC64 VII Processor (1 CPU board with 1 CPU & 5MB on-chip L2 10-way cache), and 8GB system memory (1 memory module with 4*2GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*Gb ethernet ports, 1 I/O tray with 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy), RoHS-5.	2	50%	16,700 €	8,350 €
SEWPACA1Z	Sun SPARC Enterprise M3000 server. Includes 1, quad-core, 2.52GHz SPARC64 VII Processor (1 CPU board with 1 CPU & 5MB on-chip L2 10-way cache), and 16GB system memory (1 memory module with 4*4GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 4*Gb ethernet ports, 1 I/O tray with 4 PCI-E slots, 2 power supplies (110V or 220V with 1N redundancy), RoHS-5.	2	50%	23,800 €	11,900 €
Sun Sparc Enterprise M4000 Server					
SEEPDJB1Z	Sun SPARC Enterprise M4000 server. Includes 2*2.4GHz SPARC64 VII four-core Processors (1 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 8GB system memory on (2 memory modules with 4 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (110V or 220V with N+N redundancy), RoHS-5.	2	50%	31,000 €	15,500 €
SEEPDCB2Z	Sun SPARC Enterprise M4000 server. Includes 2*2.4GHz SPARC64 VII four-core Processors (1 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory on (2 memory modules with 8 * 2GB 1 rank DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (220V with N+N redundancy or 110V), RoHS-5.	2	50%	38,100 €	19,050 €
SEEPBCB2Z	Sun SPARC Enterprise M4000 server. Includes 4*2.15GHz SPARC64 VI Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory (2 memory modules with 8 * 2GB 1 rank DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (220V with N+N redundancy or 110V), RoHS-5.	2	50%	49,300 €	24,650 €
SEEPCEB2Z	Sun SPARC Enterprise M4000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory on (2 memory modules with 8 * 2GB 1 rank DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (220V with N+N redundancy or 110V), RoHS-5.	2	50%	58,900 €	29,450 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the current prices on the MG Request Date.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Sun Sparc Enterprise M5000 Server					
SEFPEAC1Z	Sun SPARC Enterprise M5000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 16GB system memory (2 memory modules with 8 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy), RoHS-5.	2	50%	72,600 €	36,300 €
SEFPECC2Z	Sun SPARC Enterprise M5000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory (2 memory modules with 8 * 2GB 1 rank DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (220V with N+N redundancy or 110V), RoHS-5.	2	50%	72,600 €	36,300 €
SEFFCBC1Z	Sun SPARC Enterprise M5000 server. Includes 8*2.15GHz SPARC64 VI Processors (4 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory (4 memory modules with 8 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (220V with N+N redundancy or 110V), RoHS-5.	2	50%	109,200 €	54,600 €
SEFRD2Z	Sun SPARC Enterprise M5000 COD (Capacity On Demand) server. Includes 8*2.15GHz SPARC64 VI Processors (4 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 64GB system memory (4 memory modules with 8 * 2GB 1 rank DDR2 DIMMs), 4 * 146GB SAS hard disks, 1 DVD-ROM, 2*Gb ethernet ports, 2 I/O trays with 8 PCI-E and 2 PCI-X slots total, 4 power supplies (220V with N+N redundancy or 110V), COD RTU (Right To Use) licenses required. RoHS-5.	2	50%	52,000 €	26,000 €
SUN BLADE SERVER MODULES			<i>Modularity Gives You Powerful Choices!</i>		
Sun Blade T63xx Server Modules					
X5706A	Sun Blade T6300 Server Module with 1x 8 core 1GHz UltraSPARC T1 processor with 3MB L2 cache, 8GB (4x2GB DIMMs) DDR2 memory, 2 x1Gb Ethernet ports, 1 serial port, 2 PCI ExpressModule slots & 4 disk filler panels. RoHS 5.	2	50%	6,800 €	3,400 €
X5707A	Sun Blade T6300 Server Module with 1x 8 core 1.2GHz UltraSPARC T1 processor with 3MB L2 cache, 16GB (8x2GB DIMMs) DDR2 memory, 2 x1Gb Ethernet ports, 1 serial port, 2 PCI ExpressModule slots & 4 disk filler panels. RoHS 5.	2	50%	10,600 €	5,300 €
X5708A	Sun Blade T6300 Server Module with 1x 8 core 1.4GHz UltraSPARC T1 processor with 3MB L2 cache, 32GB (8x4GB DIMMs) DDR2 memory, 2 x1Gb Ethernet ports, 1 serial port, 2 PCI ExpressModule slots & 4 disk filler panels. RoHS 5.	2	50%	19,600 €	9,800 €
Sun Blade X6440 Server Modules					
X6440-44M2501-82	Sun Blade X6440 Server Module, 4 enhanced Quad-Core AMD Opteron 8380 (2.5 GHz, 6M L3, 75W) processors, 16GB DDR2-667 memory (8x 2GB single rank DDR2-667 DIMMs), 16GB Compact Flash, 1 Passthru Fabric Expansion Module, No RAID Expansion Module.	2	50%	8,500 €	4,250 €
X6440-44M2701-B2	Sun Blade X6440 Server Module, 4 enhanced Quad-Core AMD Opteron 8384 (2.7 GHz, 6M L3, 75W) processors, 32GB DDR2-667 memory (16x 2GB single rank DDR2-667 DIMMs), 16GB Compact Flash, 1 Passthru Fabric Expansion Module, No RAID Expansion Module.	2	50%	11,500 €	5,750 €
SUN STORAGE TEK **			<i>Trust To All of your DATA!</i>		
Sun StorageTek 2530 Array					
XTA2530R01A2E730	Sun StorageTek(TM) 2530 SAS Array, Rack-Ready Controller Tray, 730GB, 5 * 146GB 15Krpm SAS drives, 2 * 512MB cache SAS HW RAID controllers, 2 * redundant AC power supplies, 2 * redundant cooling fans; Includes Sun StorageTek(TM) Common Array Manager software and 2 * storage domains using Sun StorageTek(TM) Storage Domains software; RoHS-5	2	50%	6,700 €	3,350 €
XTA2530R01A2F1500	Sun StorageTek(TM) 2530 SAS Array, Rack-Ready Controller Tray, 1500GB, 5* 300GB 15Krpm SAS drives, 2 * 512MB cache SAS HW RAID controllers, 2 * redundant AC power supplies, 2 * redundant cooling fans; Includes Sun StorageTek(TM) Common Array Manager software and 2 * storage domains using Sun StorageTek(TM) Storage Domains software; RoHS-5	2	50%	8,100 €	4,050 €
Sun StorageTek 2540 Array					
XTA2540R01A2F3600	Sun StorageTek(TM) 2540 FC Array, Rack-Ready Controller Tray, 3600GB, 12 * 300GB 15Krpm SAS drives, 2 * 512MB cache FC HW RAID controllers, 2 * redundant AC power supplies, 2 * redundant cooling fans, 4 * shortwave SFPs; Includes Sun StorageTek(TM) Common Array Manager software and 2 * storage domains using Sun StorageTek(TM) Storage Domains software; RoHS-5	2	50%	12,800 €	6,400 €
XTA2540R01A2N12000	Sun StorageTek(TM) 2540 FC Array, Rack-Ready Controller Tray, 12TB, 12* 1TB 7.2Krpm SATA-II drives, 2 * 512MB cache FC HW RAID controllers, 2 * redundant AC power supplies, 2 * redundant cooling fans, and 4 * shortwave SFPs; Includes Sun StorageTek(TM) Common Array Manager software and 2 * storage domains using Sun StorageTek(TM) Storage Domains software; RoHS-5	2	50%	14,000 €	7,000 €
XTA2540R01A2Q4800	Sun StorageTek(TM) 2540 FC Array, Rack-Ready Controller Tray, 4.8TB, 12* 400GB 10Krpm SAS, 2 * 512MB cache FC HW RAID controllers, 2 * redundant AC power supplies, 2 * redundant cooling fans, and 4 * shortwave SFPs; Includes Sun StorageTek(TM) Common Array Manager software and 2 * storage domains using Sun StorageTek(TM) Storage Domains software; RoHS-5	2	50%	13,100 €	6,550 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Date.

Part Number	Description	Qty	MG Discount	List Price per system	End-User MG Price per system
Sun StorageTek 6140 Array					
XTD6140R11A2A2500Z	RoHS-5, Sun StorageTek (tm) 6140 array with 2GB cache and 4 host ports, Rack-Ready Controller Tray, 2500GB, 5 * 500GB 7.2Krpm SATA-II Drives, 2 * 1GB-cache memory FC RAID Controller cards, 2 * redundant AC power supplies and cooling fans, 2 * FC ports for expansion trays and 4 * host ports with shortwave SFPs, 2 * 5M fibre optic cables, 2 * 6M ethernet cables and management software, 3 yr on-site warranty included (Standard Configuration)	2	50%	17,600 €	8,800 €
XTD6140R11A2M2000Z	RoHS-5, Sun StorageTek (tm) 6140 array with 2GB cache and 4 host ports, Rack-Ready Controller Tray, 2000GB, 5 * 400GB 10Krpm 4Gb FC-AL Drives, 2 * 1GB-cache memory FC RAID Controller cards, 2 * redundant AC power supplies and cooling fans, 2 * FC ports for expansion trays and 4 * host ports with shortwave SFPs, 2 * 5M fibre optic cables, 2 * 6M ethernet cables and management software, 3 yr on-site warranty included (Standard Configuration)	2	50%	25,700 €	12,850 €
XTC6140R11A2A2500Z	RoHS-5, Sun StorageTek (tm) 6140 array with 4GB cache and 8 host ports, Rack-Ready Controller Tray, 2500GB, 5 * 500GB 7.2Krpm SATA-II Drives, 2 * 2GB-cache memory FC RAID Controller cards, 2 * redundant AC power supplies and cooling fans, 2 * FC ports for expansion trays and 8 * host ports with shortwave SFPs, 2 * 5M fibre optic cables, 2 * 6M ethernet cables and management software, 3 yr on-site warranty included (Standard Configuration)	2	50%	29,600 €	14,800 €
XTC6140R11A2M2000Z	RoHS-5, Sun StorageTek (tm) 6140 array with 4GB cache and 8 host ports, Rack-Ready Controller Tray, 2000GB, 5 * 400GB 10Krpm 4Gb FC-AL Drives, 2 * 2GB-cache memory FC RAID Controller cards, 2 * redundant AC power supplies and cooling fans, 2 * FC ports for expansion trays and 8 * host ports with shortwave SFPs, 2 * 5M fibre optic cables, 2 * 6M ethernet cables and management software, 3 yr on-site warranty included (Standard Configuration)	2	50%	37,700 €	18,850 €
Sun Storage J4500 Array					
XTA4500R00A1A24TB	Sun(TM) Storage J4500 array, Rack-Ready, 24TB, 48 * 500GB 7.2Krpm SATA drives, 1 * SAS I/O Module, 2 * redundant AC power supplies and 2 * redundant cooling fans; Includes 2 * 2m SAS interconnect cables and 1 * slide rail kit; RoHS-5	2	50%	21,200 €	10,600 €
XTA4500R00A1L36TB	Sun(TM) Storage J4500 array, Rack-Ready, 36TB, 48 * 750GB 7.2Krpm SATA drives, 1 * SAS I/O Module, 2 * redundant AC power supplies and 2 * redundant cooling fans; Includes 2 * 2m SAS interconnect cables and 1 * slide rail kit; RoHS-5	2	50%	30,300 €	15,150 €
XTA4500R00A1N48TB	Sun(TM) Storage J4500 array, Rack-Ready, 48TB, 48 * 1TB 7.2Krpm SATA drives, 1 * SAS I/O Module, 2 * redundant AC power supplies and 2 * redundant cooling fans; Includes 2 * 2m SAS interconnect cables and 1 * slide rail kit; RoHS-5	2	50%	42,400 €	21,200 €
Sun Storage 7000 Unified Storage Systems					
XTA7110-14ASA20	Sun Storage 7110 Unified Storage System: 2TB raw, 16x146GB 2.5 SAS HDD, 8GB RAM, 1x1.9GHz Quad-Core processor, 4x 10/100/1000 Ethernet ports. Rail kit included. No Power Cord, order Geo-specific X-option. RoHS 5.	2	50%	9,800 €	4,900 €
XTA7210-24AS18N22	Sun Storage 7210 Unified Storage System: 22.5TB raw, 47x500GB 3.5 SATA HDD, 64GB RAM, 1x18GB Logzilla Flash Accelerator, 2x2.3GHz Quad-Core processor, 4x 10/100/1000 Ethernet ports. Includes Slide Rail Kit and Cable Management Arm. No Power Cord, order Geo-specific X-option. RoHS 5.	2	50%	63,900 €	31,950 €
** If a customer buys a min. of 2 Sun Servers or 10 SunRays through the MG Program, he/she can buy 1 or more of the above Storage Systems at 50% discount					
OPTIONS **					
Monitors & Smart Cards					
X7204A	17-inch TFT-LCD Monitor, TN technology, 500:1 contrast ratio, 300 cd/m2 luminance, 70 degree viewing angle, 1280x1024 @ 60 Hz, Analog RGB video through HD15 connector and HD15/HD15 cable, Digital TMDS video through DVI-D connector and DVI-D/DVI-D cable, with tilt adjustments, integral power supply, Energy Star and TCO'99 WW Agency compliances, Sun colors enclosure with Sun logos on front bezel, rear cabinet and base stand. RoHS Compliant.	2	50%	155 €	78 €
X7205A	19-inch TFT LCD Color Monitor, 19-inch viewable area, 0.294mm pixel pitch, Brightness 300cd/m2 (typ), 500:1 contrast ratio (typ), Response time 5ms (typ), 1280x1024 @ 60Hz, 170 degree viewing angle, Internal power supply, Tilt, Analog(HD15) and Digital Input(DVI), 410mm(W) x 406mm(H) x 213.7mm(D), Weight: 3.9kg / 8.59lbs, Power Consumption 37 Watts max, HD15 to HD15 video cable and DVI-D to DVI-D video cable included, WW Agency comp, Energy Star, TCO '99, EU, China, RoHS.	2	50%	177 €	88 €
X7237A	22-inch Widescreen LCD Monitor. 1680x1050 resolution, 300 cd/m2 luminance level (typical), 8 ms response time (gray-to-gray, typical), 1000:1 contrast ratio (typical), DVI-D (Digital) and HD15 (Analog) inputs, 2 video cables included (HD15/HD15, 1.8 meters, and DVI-D/DVI-D, 3 meters). Sun logo and color. RoHS-6 compliant. Must order country-specific power cord. X-option.	2	50%	220 €	110 €
X7236A	24.1-inch TFT LCD Color Monitor (27 inch CRT equivalent), PVA wide viewing angle, 1920x1200@60 Hz, digital input: DVI-D, analog input: HD15, 4-port USB 2.0 hub, fully HDTV compatible, HDCP, full set of cables for all interfaces included, Digital OSD controls, VESA DPMS, TCO'03, WW agency compliances, Sun ID enclosure, Sun logo and color, RoHS compliant	2	50%	620 €	310 €
X1403A	Payflex Smartcards with Sun artwork. Pack of 25 cards.	2	50%	102 €	51 €
Slide Rail Kits					
X6325A	Tool-less slide rail kit for Sun Fire X4140/X4170/X4240/X4270/X4440/X4150/X4450. Only fits in Sun Rack 938, 1038, 1042, or racks that have front to rear rail spacing between 610mm and 915mm (about 24" to about 36") RoHS-6. X-Option	2	50%	110 €	55 €
X6326A	Slide rail kit for Sun Fire X4140/X4170/X4270/X4440/X4150/X4450 server. Only fits in Sun Rack 938, Sun Rack 1038, Sun Rack 1042, or racks that have front to rear rail spacing between 610mm and 915mm (about 24" to about 36"). RoHS-6. X-option.	2	50%	110 €	55 €
X8029A-EZ	X-Option slide rail kit for Sun Fire X2100 M2, X2200 M2, X4100, X4100 M2, X4200 and X4200 M2 x64 servers. Only fits in Sun Rack 900-38, Sun Rack 1000-38, Sun Rack 1000-42, or racks that have front-rear rail spacing between 610mm to 915mm (about 24" to about 36"). RoHS-6.	2	50%	110 €	55 €
X8029A-Z	X-Option slide rail kit for Sun Fire X2100, Sun Fire X2100 M2, Sun Fire X2200 M2, Sun Fire X4100, Sun Fire X4100 M2, Sun Fire X4200 and Sun Fire X4200 M2 x64 servers. Only fits in Sun Rack 900-38, Sun Rack 1000-38, Sun Rack 1000-42, or racks that have front-rear rail spacing between 610mm to 915mm (about 24" to about 36"). RoHS-6.	2	50%	110 €	55 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Date.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Memories					
SESX2A2Z	2 GB Memory Expansion (2 x 1 GB) low-profile FBDIMMs, Second Gen., 1.8 V, x8, for Sun SPARC Enterprise, RoHS 6	2	50%	157 €	78 €
SESX2B2Z	4 GB Memory Expansion (2 x 2 GB) low-profile FBDIMMs, Second Gen., 1.8 V, x8, for Sun SPARC Enterprise, RoHS 6	2	50%	280 €	140 €
SESX2C1Z	8GB RoHS-6 Memory Expansion Kit (2*4GB) Comprised of two low-profile FBDIMMs. For use with Sun SPARC Enterprise T5120, T5220, T5140, T5240 and T5440. Xoption, RoHS 6 Compliant	2	50%	1,100 €	550 €
X4226A-C	4 GB Memory kit DDR2-667 single-rank Registered ECC DIMMs (2x2GB) for Sun Fire X4100 M2 / X4200 M2 and Netra X4200 M2 x64 servers. RoHS-5	2	50%	186 €	93 €
X8123A-C-Z	4 GB Memory kit DDR2-667 Registered ECC single rank DIMMs (2x2 GB) for Sun Fire X4600 M2 x64 servers. RoHS-6. X-Option.	2	50%	162 €	81 €
X8098A	X-OPTION 8 GB Memory kit DDR2-667 Registered ECC DIMMs (2x4GB) for Sun Fire X4600 M2 x64 servers. RoHS-6.	2	50%	340 €	170 €
X8356A	X-OPTION 16GB Memory kit DDR2-667 Registered ECC DIMMs (2x8 GB) for Sun Fire X4600 M2 x64 servers. RoHS-6.	2	50%	1,850 €	925 €
X5110A	8GB Memory Kit for Sun Fire X2250 with 2x4GB 800MHz PC2-6400 ECC Fully Buffered DIMM. RoHS-5. X-option.	2	50%	370 €	185 €
X5111A	4GB Memory Kit for Sun Fire X2250 with 2x2GB 800MHz PC2-6400 ECC Fully Buffered DIMM. RoHS-5. X-option.	2	50%	186 €	93 €
X6381A	4GB Memory Kit with 2x2GB PC2-5300 667 MHz ECC Fully Buffered DDR2 DIMM. RoHS-6. X-Option.	2	50%	186 €	93 €
X6382A	8GB Memory Kit with 2x4GB PC2-5300 667 MHz ECC Fully Buffered DDR2 DIMM for Sun Fire and Netra X4150, X4250 and X4450. RoHS-6. X-Option.	2	50%	370 €	185 €
X5279A-Z	X-Option 4GB Memory Kit (2x 2GB unbuffered ECC DDR2-667), dual-rank, for Sun Fire X2100 M2 Server and Sun Ultra 20 M2 Workstation. RoHS-6.	2	50%	210 €	105 €
X6321A-C	X-Option 4 GB Memory kit DDR2-667 Registered ECC single rank DIMMs (2x 2GB) for Sun Fire X4140/X4240/X4440 x64 servers. RoHS-5.	2	50%	162 €	81 €
X6322A	8 GB Memory kit DDR2-667 Registered ECC DIMMs (2x 4GB) for Sun Fire X4140/X4240/X4440 x64 servers. RoHS-5. X-Option.	2	50%	290 €	145 €
X4401A	4GB Memory kit, PC2-5300 DDR2 Fully Buffered DIMM w/ ECC (2x2GB) for Sun Blade X6250, X6450 and X8450 x64 servers. RoHS-5.	2	50%	186 €	93 €
X4402A	8GB Memory kit, PC2-5300 DDR2 Fully Buffered DIMM w/ ECC (2x4GB) for Sun Blade X6250, X6450 and X8450 x64 servers. X-option. RoHS-5.	2	50%	370 €	185 €
X4233A	8 GB Memory kit DDR2-667 Registered ECC DIMMs (2x4GB) ONLY for Sun Fire X4100 M2/X4200 M2 and Sun Netra X4200 M2 -Dual And Quad Core servers. RoHS-5. X-Option	2	50%	340 €	170 €
X4087A	8 GB Memory kit DDR2-667 Registered ECC DIMMs (2x4GB) for Sun Fire X2200 M2 x64 servers. RoHS-6. X-Option.	2	50%	510 €	255 €
X4063A-Z	8-GB Registered ECC DDR2-667 C Die Memory Kit (2x 4GB ECC) for Sun Fire X2200 M2 server. RoHS-6. For XATO and FACTORY INTEGRATION. NOTE: This part number is *ONLY* FOR USE WITH THE X2200 M2 SERVER. 2X 4GB memory mktng part #5289A-Z does NOT work in X2200 M2 servers.	2	50%	510 €	255 €
X5288A-C	X-Option 4-GB Memory Kit (2x 2GB Registered ECC single rank DDR2-667) for Sun Fire X2200 M2 server. RoHS-6.	2	50%	162 €	81 €
X5278A-A	X-Option 2GB Memory Kit (2x 1GB unbuffered ECC single rank x8 DDR2-667) for Sun Fire X2100 M2 Server. RoHS-6.	2	50%	92 €	46 €
Host Bus Adapters					
SG-XPCIE1FC-QF4	Sun StorageTek PCI-E Enterprise 4Gb FC host bus adapter, Single Channel includes standard and low profile brackets, low profile form factor. RoHS 6 compliant.	2	50%	980 €	490 €
SG-XPCIE8SAS-I-Z	Sun StorageTek (TM) 8-Port internal SAS PCI-Express LSI 3081E Host Bus Adapter with RAID 0, 1, 1E support. RoHS-6. X-option	2	50%	220 €	110 €
SG-XPCIE8SAS-E-Z	Sun StorageTek (TM) 8-port external SAS PCI-Express Host Bus Adapter. RoHS 6. X-option	2	50%	490 €	245 €
SGXPCIESAS-R-EXT-Z	Sun StorageTek (TM) 8-port external SAS RAID Host Bus Adapter with RAID 0, 1, 1E, 10, 5, 5EE, 50, 6, 60 support, 256MB of onboard memory and 72 hour Battery Backed Write Cache. RoHS 6. X-Option.	2	50%	880 €	440 €

Matching Grant End-User Product List* in EUR 03 April 2009

* Please note that the List Prices in this Product List are only indicative. Refer to Sun's Price List to check the correct prices on the MG Request Date.

Part Number	Description	Qty	MG Dis-count	List Price per system	End-User MG Price per system
Disks					
XRA-SS2CD-146G10KZ	146GB 10K RPM 2.5" SAS disk drive. RoHS-6	2	50%	300 €	150 €
XRA-SS2CD-73G15K	73GB 15K RPM 2.5" SAS hard disk drive with Nemo bracket. RoHS-6. X-option.	2	50%	340 €	170 €
XRA-SS2CF-73G10K	73GB 10K RPM 2.5" SAS disk drive with Marlin bracket. RoHS-6. X-option.	2	50%	240 €	120 €
XRA-SS2CF-73G15K	73GB 15K RPM 2.5" SAS disk drive with Marlin bracket. RoHS-6. X-Option.	2	50%	340 €	170 €
XRA-SS2CF-146G10K	146GB 10K RPM 2.5" SAS disk drive with Marlin bracket. RoHS-6. X-option.	2	50%	300 €	150 €
XRA-SS2CF-300G10K	300GB 10K RPM 2.5" SAS hard disk drive with Marlin bracket. (x-option) RoHS-6	2	50%	640 €	320 €
XR-SS1CE-146G15KZ	RoHS-6. Internal 146GB 15K SAS HDD, 3.5" x 1" drive with bracket.	2	50%	260 €	130 €
XTA-SS1NJ-300G15K	1 * Internal 300GB 15Krpm SAS HDD, 3.5" x 1" drive with bracket for Sun(TM) Storage J4200 and J4400; RoHS-6	2	50%	570 €	285 €
XTA-ST1NJ-500G7K	1 * Internal 500GB 7.2Krpm SATA HDD, 3.5" x 1" drive with bracket for Sun(TM) Storage J4200 and J4400; RoHS-6	2	50%	270 €	135 €
XTA-ST1NJ-750G7K	1 * Internal 750GB 7.2Krpm SATA HDD, 3.5" x 1" drive with bracket for Sun(TM) Storage J4200 and J4400; RoHS-6	2	50%	360 €	180 €
XTA-ST1NJ-1T7K	1 * Internal 1TB 7.2Krpm SATA HDD, 3.5" x 1" drive with bracket for Sun(TM) Storage J4400 and J4200; RoHS-6	2	50%	520 €	260 €
XRA-SS2CD-73G10KZ	73GB 10K RPM 2.5" SAS disk drive. RoHS-6	2	50%	240 €	120 €
XRC-ST1CE-250G7K	X-Option Internal 250GB 7,200 RPM 3.5-inch Serial ATA Hard Disk Drive with bracket. RoHS-6.	2	50%	139 €	70 €
XR-SS1CE-1T7K	Internal 3.5-inch 1TB 7200 rpm Serial ATA Hard Disk Drive with bracket. X-option. RoHS-6.	2	50%	620 €	310 €
XR-SS1CE-300G15K	RoHS-6. Internal 300GB 15000 rpm 3.5-inch SAS HDD with bracket.	2	50%	540 €	270 €
Chassis for J4200 & J4400					
XTA4200R00A10DISK	Sun(TM) Storage J4200 array, Rack-Ready Chassis, No drives, 1 * SAS I/O Module, 2 * redundant AC power supplies and 2 * redundant cooling fans; includes 1 * .5m SAS interconnect cable; RoHS-5	2	50%	2,050 €	1,025 €
XTA4400R00A10DISK	Sun(TM) Storage J4400 array, Rack-Ready Chassis, No drives, 1 * SAS I/O Module, 2 * redundant AC power supplies and 2 * redundant cooling fans; includes 1 * .5m SAS interconnect cable; RoHS-5	2	50%	2,650 €	1,325 €
Country Kits					
X3731A	Type 7 U.S./Canada Universal (PC) Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3732A	Type 7 French Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3733A	Type 7 German Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3734A	Type 7 Swiss-French Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3735A	Type 7 Swiss-German Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3736A	Type 7 Swedish Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3737A	Type 7 U.K. Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3738A	Type 7 UNIX Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3758A	Type 7 U.K. UNIX Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3759A	Type 7 European UNIX Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3760A	Type 7 Norwegian Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3761A	Type 7 Portuguese Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3762A	Type 7 Spanish Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3763A	Type 7 Danish Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3764A	Type 7 Italian Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3765A	Type 7 Dutch/Netherlands Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3767A	Type 7 Finnish Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3783A	Type 7 European UNIX Country Kit. No power cords included. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3785A	Type 7 Russian Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3787A	Type 7 Turkish-Q Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3790A	Type 7 Belgian Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3791A	Type 7 Arabic Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3799A	Type 7 Hebrew Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €
X3868A	Type 7 European Universal Country Kit. RoHS-6 (Lead-Free) Compliant.	2	50%	44 €	22 €

**** Options can only be bought in MG, when bought with a Sun Server or a Sun Workstation on the MG09 Product List**

* Click [here](#) for more information

* Matching Grant Program valid from 03FEB09 till 20MAY09 and in Europe, Middle East and Africa only

* PLEASE CHECK YOUR LOCAL PRICE LIST FOR AVAILABILITY AND PRICING OF THESE CONFIGURATIONS IN YOUR COUNTRY

* Prices are net, VAT and Customs Duties to be added

* Sun disclaims any responsibility for inaccuracies or typographical errors